

3M Automotive



Masking Tapes and Systems

Distributed By:



Argent Tape & Label, Inc.
41016 Concept Drive
Plymouth, MI 48170

Tel: (800) 293-7500
www.argent-tape.com



Masking Tapes and Systems

3M PRODUCT	PAGE NUMBER(S)	STAMPING				BIW		PAINT						GENERAL ASSEMBLY		GENERAL USE			
		1 PRESS ROOM	2 ASSEMBLY	3 METAL REPAIR	4 FACILITY & DIE MAINTENANCE	1 BODY PANEL & COMPONENT ASSEMBLY	2 METAL FINISHING	1 PRE-TREATMENT	2 SEALER	3 PRIMER	4 TOP COAT	5 FINESSE DECK	6 RE-PROCESS	1 TRIM & ASSEMBLY	2 RE-PROCESS	1 MAINTENANCE	2 SAFETY	3 PERSONAL CARE	4 FACILITY MANAGEMENT
CLASS I MASKING TAPES																			
SCOTCH® PERFORMANCE MASKING TAPES	64								●	●	●	●	●		●				
SCOTCH® PAINT MASKING TAPES	64							●	●	●	●	●		●					
CLASS II MASKING TAPES																			
SCOTCH® PERFORMANCE MASKING TAPES	64							●	●	●	●	●		●					
SCOTCH® GENERAL PURPOSE MASKING TAPES	64							●	●	●	●	●		●					
CLASS III MASKING TAPES																			
GENERAL TAPES	65							●	●	●	●	●		●					
PAPER TAPES	65							●	●	●	●	●		●					
MASKING TAPES																			
3M™ MASKING TAPES	65													●					●
SCOTCH® PERFORMANCE MASKING TAPES	65												●	●					
3M™ SCOTCHMARK™ GREEN MASKING TAPES	65												●	●					
3M™ GENERAL PURPOSE MASKING TAPES	66																		●
SCOTCH® SOLVENT-RESISTANT MASKING TAPES	66																		●
SCOTCH® MASKING TAPES	66																		●
SCOTCH-BLUE™ PAINTERS' TAPE	66																		●
3M™ POLYESTER/SILICONE TAPE	66																		●
3M™ SOFT EDGE FOAM MASKING TAPE	66												●	●					
3M™ TRIM MASKING TAPE	66													●					
FINE LINE TAPES																			
FINE LINE TAPES	67										●			●					
PAINT STRIPING TAPES	67										●			●					
PLASTIC AND VINYL TAPES	67										●			●					
HIGH TEMPERATURE TAPES	67										●			●					
MASKING PAPERS																			
SCOTCH® STEEL GRAY MASKING PAPER	68											●		●					
3M™ SCOTCHBLOK™ GOLD MASKING PAPER	68											●		●					
3M™ WHITE MASKING PAPER	68											●		●					
SCOTCH® BOLD BRICK MASKING PAPER	68											●		●					
MASKING FILMS & BAGS																			
3M™ HIGH TEMPERATURE PAINT MASKING FILM	68									●		●		●					
3M™ HAND-MASKER™ PRE-FOLDED MASKING FILM	68											●		●					
3M™ OVERSPRAY PROTECTIVE SHEETING	69											●		●					
3M™ HAND-MASKER™ PRE-TAPED PLASTIC DROP CLOTH	69											●		●					
3M™ HIGH TEMPERATURE PROTECTIVE BAGS AND SHEETS	69											●		●					
MASKING EQUIPMENT, DISPENSERS & BLADES																			
SHEETING AND CART MASKERS	69								●	●		●		●					
SCOTCH® APRON TAPERS	70								●	●		●		●					
3M™ HAND-MASKER™ KIT AND DISPENSERS	70											●		●					
3M™ HAND-MASKER™ BLADES	70											●		●					




Masking Tapes and Systems

Automotive Masking Systems Application Guide

Application— Area to be Protected	3M™ and Scotch® Performance Masking Tapes	3M™ Masking Papers	3M™ Overspray Protective Sheeting and Film 3M™ Paintable Plastic Sheeting	3M™ and Scotch® Masking Film	3M™ Overspray Masking Liquid*	3M™ Soft Edge Foam Masking Tape (D.A.R.T.)	3M™ Trim Masking Tapes	Scotch® Fine Line Tapes
Hood and Trunk	●	●	●	●	●	●		
Doors	●	●	●	●	●	●		
Grills and Bumpers	●	●	●	●	●			
Windshields and Windows	●	●	●	●	●		●	
Wheel Wells and Tires	●	●	●	●	●			
Door Jamb, Gas Caps, and Other Openings	●	●	●			●		
Mirrors and Hardware	●	●	●		●			
Lights, Reflectors and Moldings	●	●	●		●		●	
Graphics and Ornaments	●	●	●		●			●
Painting Pinstripes	●	●	●					●
Open Areas	●	●	●	●				
Engine Compartment	●	●	●	●	●	●		

*3M™ Overspray Masking Liquid-Wet formula only.

- *What is your application?*
- *To what temperature will the tape be exposed during use?*
- *Do you need maximum holding power during use?*
- *Do you need maximum paint edge sharpness when the tape is removed?*
- *Do you want to remove the tape without slivering and adhesive residue?*

 CLASS I MASKING	Tapes with best-in-class holding power for critical paint lines and clean removal on high valued products or processes.	2693 Up to 325°F (163°C)
		231 Up to 300°F (149°C)
		232 Up to 250°F (121°C)
 CLASS II MASKING	Tapes with reliable masking and clean removal on surfaces for functional coatings or paints, splicing, and heavy duty maintenance.	2380 Up to 325°F (163°C)
		2364 Up to 300°F (149°C)
		234 Up to 250°F (121°C)
 CLASS III MASKING	Tapes with clean removal for light duty bundling, attaching and labeling.	2307 Up to 200°F (93°C)
		200 Up to 200°F (93°C)
		2214 Up to 150°F (66°C)

Masking Tapes and Systems

Class I Masking

②③ Scotch® High Performance Masking Tape 2693

- ④⑤⑥② • Designed for automotive, truck and bus applications, where very aggressive room temperature and high temperature holding is required.
- Tan, 8.5 mils (0,21mm) mini-crepe paper tape with rubber adhesive.
- For use up to 325°F (163°C).



UPC Number	Size	Qty/Case
021200-37629-0	24mm x 55m	36
021200-41121-2	36mm x 55m	24
021200-37630-6	48mm x 55m	24
021200-42979-8	72mm x 55m	12

②③ Scotch® Paint Masking Tape 231

- ④⑤⑥② • Excellent all-purpose paint masking.
- Sticks at a touch and stays put.
- Tough and smooth high-performance crepe paper tape.
- Generally functions in bake cycles up to 300°F (149°C) for up to one hour.



UPC Number	Size	Qty/Case
021200-03777-1	24mm x 55m	36
021200-04111-2	36mm x 55m	24
021200-04237-9	48mm x 55m	24
021200-04936-1	72mm x 55m	12

②③ Scotch® Performance Masking Tapes 232

- ④⑤⑥② • Provides good paint lines.
- Sticks at a touch and stays put.
- Tough and smooth high-performance crepe paper tape.
- Generally functions in bake cycles up to 250°F (121°C) for up to one hour.



UPC Number	Size	Qty/Case
021200-02854-0	24mm x 55m	36
021200-02855-7	36mm x 55m	24
021200-04240-9	48mm x 55m	24
021200-02858-8	72mm x 55m	12

Class II Masking

② Scotch® Performance Masking Tape 2380

- ③④⑤⑥② • Designed for industrial paint masking applications at either room temperature or bake temperatures up to 325°F (163°C) on most cold surfaces without adhesive transfer.
- Helps assure a good paint line whether air drying or oven baking. Includes a natural rubber/synthetic blend adhesive on a smooth mini-crepe paper treated backing.



UPC Number	Size	Qty/Case
021200-44583-5	24mm x 55m	36
021200-44582-8	36mm x 55m	24
021200-44581-1	48mm x 55m	24
021200-44580-4	72mm x 55m	12

② Scotch® Performance Masking Tape 2364

- ③④⑤⑥② • Tan colored crepe paper masking tape for general masking applications where good holding power and temperature performance is required.
- Up to 300°F (149°C) bake temperature.
- Designed for many industrial applications.
- Easy tearing and sliver resistance, controlled unwind, clear removal.



UPC Number	Size	Qty/Case
021200-43352-8	24mm x 55m	36
021200-43353-5	36mm x 55m	24
021200-43354-2	48mm x 55m	24
021200-43355-9	72mm x 55m	12

② Scotch® General Purpose Masking Tape 234

- ③④⑤⑥② • Ideal for general purpose industrial applications.
- Generally functions in bake cycles up to 250°F (121°C) for up to one hour.
- Resists transfer and slivering, conforms well.
- Excellent control unwind.



UPC Number	Size	Qty/Case
021200-02982-0	24mm x 55m	36
021200-02983-7	36mm x 55m	24
021200-04244-7	48mm x 55m	24
021200-02985-1	72mm x 55m	12

Masking Tapes and Systems

Class III Masking

②③ 3M™ Masking Tape 2307

- ④⑤ • Solvent-free construction.
- ⑥② • Increased backing strength and adhesive holding power for holding, bundling, sealing and non-critical paint masking.
- Use in temperatures up to 200°F (93°C).



UPC Number	Size	Qty/Case
021200-71116-9	12mm x 55m	72
021200-71117-6	18mm x 55m	48
021200-71118-3	24mm x 55m	36
021200-71119-0	36mm x 55m	24
021200-71120-6	48mm x 55m	24
021200-55672-2	60mm x 55m	16
021200-71121-3	72mm x 55m	12

②③ 3M™ Paper Tape 200

- ④⑤ • Natural colored, 5.5mils (0,14mm) crepe paper tape with rubber adhesive.
- ⑥② • Use for holding, bundling, sealing, non-critical masking, not to exceed 200°F (93°C).
- Good instant adhesion.



UPC Number	Size	Qty/Case
021200-71183-1	12mm x 55m	72
021200-71182-4	18mm x 55m	48
021200-71180-0	24mm x 55m	36
021200-71179-4	36mm x 55m	24
021200-71177-0	48mm x 55m	24
021200-71176-3	72mm x 55m	12

②③ 3M™ Paper Masking Tape 2214

- ④⑤ • Economical, quality, general purpose paper tape with rubber adhesive.
- ⑥② • Exceptional shear to corrugated boxes and exceptionally consistent adhesion.
- Use for bundling, sealing, holding and non-critical indoor jobs. 5.3 mils pressure sensitive tape resists slivering.
- Use up to 150°F (66°C).



UPC Number	Size	Qty/Case
021200-45587-2	12mm x 55m	72
021200-26074-2	18mm x 55m	48
021200-26075-9	24mm x 55m	36
021200-26076-6	36mm x 55m	24
021200-26077-3	48mm x 55m	24
021200-26078-0	72mm x 55m	12

Masking Tapes

② 3M™ Masking Tape 203

- ④ • Use for holding, bundling, sealing and a variety of other jobs where pressure-sensitive tape is needed.
- Use in temperatures up to 200°F (93°C).



UPC Number	Size	Qty/Case
048011-58068-5	12mm x 55m	72
048011-58035-7	18mm x 55m	48
048011-58036-4	24mm x 55m	36
048011-58037-1	36mm x 55m	24
048011-58038-8	48mm x 55m	24
048011-58039-5	72mm x 55m	12
048011-58040-1	96mm x 55m	8

⑥ Scotch® Performance Masking Tape 233+

- Official masking tape of NASCAR®
- Highly conformable tape sticks and stays where you put it.
- Clean and easy removal.
- Performs under a variety of climactic conditions.
- Provides outstanding paint lines and a controlled, consistent unwind.



UPC Number	Size	Qty/Case
051131-26330-7	6mm x 55m Bulk (1/4" applications)	96
051131-26332-1	12mm x 55m Bulk (1/2" applications)	48
051131-26334-5	18mm x 55m Bulk (3/4" applications)	48
051131-26336-9	24mm x 55m Bulk (1" applications)	24
051131-26338-3	36mm x 55m Bulk (1-1/2" applications)	16
051131-26340-6	48mm x 55m Bulk (2" applications)	12
051131-26341-3	72mm x 55m Bulk (3" applications)	8
051131-26343-7	3mm x 55m Boxed (1/8" applications)	12
051131-26344-4	6mm x 55m Boxed (1/4" applications)	12

⑥ 3M™ ScotchMark™ Green Masking Tape—No. 256

- Treated, flatback tape with good adhesive characteristics and a surface color-coating of light green.
- Smooth, sharp edge that doesn't lose its shape when applied over a long, continuous horizontal surface such as masking for painting of a boat's boot stripe.
- Has time limits when exposed to ultraviolet.



UPC Number	Size	Qty/Case
021200-05423-5	3/4" x 60 yds.	48
021200-04968-2	1" x 60 yds.	36

Paint	① Pre-Treatment	② Sealer	③ Primer	④ Top Coat	⑤ Finesse Deck	⑥ Re-Process
General Assembly	① Trim & Assembly	② Re-Process				
General Use	① Maintenance	② Safety	③ Personal Care	④ Facility Management		

Masking Tapes and Systems

Masking Tapes (cont.)

④ 3M™ General Purpose Masking Tape 2020

- High-adhesion tape for production masking applications such as taping paper or hanging poly.

UPC Number	Size	Qty/Case
021200-71106-0	24mm x 55m	36
021200-71107-7	36mm x 55m	24

④ Scotch® Solvent-Resistant Masking Tape 2040

- High performance, general purpose masking tape for new construction or when repainting.
- Functions satisfactorily during bake cycles at 250°F (121°C) for up to one hour.
- Use throughout the construction industry for critical masking and a vast number of other jobs where a general purpose, pressure-sensitive tape is needed.
- Should not be subjected to outdoor exposure or to prolonged periods of sunlight exposure.



UPC Number	Size	Qty/Case
021200-02992-9	24mm x 55m	36
021200-02993-6	36mm x 55m	24
021200-04365-9	48mm x 55m	24

④ Scotch® Masking Tape for General Painting 2050

- Ideal for window, door and wall trim, cabinets, carpet, and vinyl flooring.
- 3-day clean removal.
- Interior and exterior use.
- Medium-high adhesion.



UPC Number	Size	Qty/Case
021200-05617-8	.70" x 60 yds.	48
021200-05618-5	.94" x 60 yds.	36
021200-05619-2	1.41" x 60 yds.	24
021200-05620-8	2" x 60 yds.	24
021200-05621-5	3" x 60 yds.	24

④ Scotch® Masking Tape for Hard-to-Stick Surfaces 2060

- Mask lacquer paints from surfaces and to mask lacquered surfaces from other types of paints and lacquers.
- Removes with little or no adhesive transfer to most surfaces for up to three days after application, even when subjected removed at a 90° angle.
- Resists curl off when coated with paints and lacquers.
- Resists paint and lacquer flaking when the tape is removed from the job.
- Typically used at room temperature, but will function up to 200°F (93°C) for one hour.
- Do not be expose to prolonged outdoor exposure; tape may become difficult to remove.



UPC Number	Size	Qty/Case
021200-71131-2	18mm x 55m	48
021200-71132-9	24mm x 55m	36
021200-71133-6	36mm x 55m	24
021200-71134-3	48mm x 55m	24

④ Scotch-Blue™ Painters' Tape for Multi-Surfaces 2090


- Ideal for painted walls and trim, woodwork, glass and metal.
- 14-day clean removal.
- Interior and exterior use.
- U.V. and sunlight-resistant.
- Medium adhesion.
- Flexible crepe backing for exceptional conformability.



UPC Number	Size	Qty/Case
051115-06817-1	3/4" x 60 yds.	48
051115-06818-8	1" x 60 yds.	36
051115-06819-5	1 1/2" x 60 yds.	24
051115-06820-1	2" x 60 yds.	24

④ 3M™ Polyester/Silicone Tape 8952 (Blue)

- 3.5mils tape designed for high temperature applications, composite and metal bonding.
- Removes cleanly from stainless steel, anodized aluminum and glass after a four-hour bake cycle at 350°F (77°C).



UPC Number	Size	Qty/Case
021200-48540-4	3/8" x 72 yds.	96
021200-48229-8	3/4" x 72 yds.	48

⑥ ② 3M™ Soft Edge Foam Masking Tape

- Fast, easy way to mask door jambs and other apertures such as hood and deck lid openings.
- Unique adhesive allows material to be repositioned.
- Reduces rework due to unwanted tape lines.



UPC Number	Diameter	Roll Size	Boxes/Case
051131-06297-9	12mm (1/2")	54.6 yds. (50m)	6
051131-06298-6	19mm (3/4")	27.3 yds. (25m)	6
051131-06296-2	28mm x 20m	1" x 21.8 yds.	6
051131-06295-5	3 pack (one of each above)		1 pack

② 3M™ Trim Masking Tape

- Designed to lift the molding from the vehicle and protect the backside from paint, allowing complete paint coverage under the molding.
- Works particularly well on flush mount windshield, sidelight and back glass moldings.
- Can save time, labor, and the cost of removing and installing new moldings.



UPC Number	Description	Kits/Case
051131-06342-6	Introductory Kit: 1 roll each PN06345, 06347, 06348 and 06349	1
051131-06345-7	50.8mm x 10m	6
051131-06347-1	50.8mm x 10m	6
051131-06348-8	50.8mm x 10m	6
051131-06349-5	50.8mm x 10m	6

Masking Tapes and Systems

Fine Line Tapes

④② 3M™ Fine Line Tape 215

- Copolymer plastic film tape with rubber adhesive.
- Very conformable film backed tape with a low profile to achieve an excellent paint line on highly contoured surfaces.



UPC Number	Color	Size	Qty/Case
021200-60831-5	Blue	1/4" x 60 yds.	144
021200-60832-2	Blue	1/2" x 60 yds.	72
021200-60753-0	Blue	3/4" x 60 yds.	48
021200-60833-9	Blue	1" x 60 yds.	36

④② Scotch® Fine Line Tape 218

- Special processed film backing that allows taping over freshly painted acrylic lacquer or enamel surfaces sooner and with less chance of imprint damage.
- Polypropylene film tape provides the finest color separation line possible in multi-color striping applications.
- Use for lettering, striping, and two-tone separation lines in all types of trucks and auto refinishing accounts.
- NOT designed for outdoor application.



UPC Number	Size	Qty/Case
Boxed		
021200-06300-8	1/8" x 60 yds.	12
021200-06301-5	1/4" x 60 yds.	12
021200-06302-2	3/8" x 60 yds.	12
021200-06303-9	1/2" x 60 yds.	12
021200-06305-3	3/4" x 60 yds.	12
021200-06306-0	1/16" x 60 yds.	12
021200-06307-7	3/16" x 60 yds.	12
021200-06308-4	3/32" x 60 yds.	12
Bulk		
021200-16028-8	1/4" x 60 yds.	144
021200-04698-8	1/2" x 60 yds.	72
021200-04699-5	3/4" x 60 yds.	48
021200-04700-8	1" x 60 yds.	36
021200-04701-5	2-1/4" x 60 yds.	24

④② Scotch® Fine Line Paint Striping Tape 218

- Specially engineered tape that is slit to provide pull-out pieces for paint striping.
- Apply over freshly painted acrylic lacquer or enamel surfaces sooner and with less chance of imprinting.
- Polypropylene film tape is excellent for multicolor striping applications.
- NOT designed for extended outdoor use.



UPC Number	Size	Number of Pull-outs	Qty/Case
021200-06314-5	1" x 550"	8 pull-outs 1/16" each	12

④② Scotch® Plastic Tape 471, Blue

- Painting pinstripes is fast and easy.
- Rolls are 40 feet long.
- Sharp, clean edges.
- OEM's most popular painted on pinstripe sizes.
- Scotch® Paint Striping Tapes premask and liner make for easy application and removal.



UPC Number	Size	Qty/Case
Boxed		
051131-06404-1	1/8" x 36 yds.	12
021200-06405-0	1/4" x 36 yds.	12
051131-06408-9	1/2" x 36 yds.	12
051131-06409-6	3/4" x 36 yds.	12

④② 3M™ Vinyl Tape 477

- 7.2 mils transparent tape.

UPC Number	Size	Qty/Case
Bulk		
021200-71065-0	3/4" x 36 yds.	48
021200-03196-0	1" x 36 yds.	36
021200-04304-8	2" x 36 yds.	24

④② Scotch® High Temperature Fine Line Tape 4735

- 5.1 mils.
- Can be ordered in custom sizes.

UPC Number	Color	Size	Qty/Case
Bulk			
021200-72288-2	Orange	3/4" x 36 yds.	48

④② Scotch® High Temperature Fine Line Tape 4737S

- 5.1 mils.
- Can be ordered in custom sizes.

UPC Number	Color	Size	Qty/Case
Bulk			
021200-72214-1	Blue	3/8" x 36 yds.	96
021200-72215-8	Blue	1/2" x 36 yds.	72
021200-72216-5	Blue	3/4" x 36 yds.	48

④② Scotch® High Temperature Fine Line Tape 4737T

- Can be ordered in custom sizes.

UPC Number	Size	Qty/Case
Bulk		
021200-72246-2	1/4" x 36 yds.	96
021200-72048-2	3/8" x 36 yds.	96
021200-71353-8	1/2" x 36 yds.	72

Paint	① Pre-Treatment	② Sealer	③ Primer	④ Top Coat	⑤ Finesse Deck	⑥ Re-Process	
General Assembly	① Trim & Assembly		② Re-Process				
General Use	① Maintenance		② Safety		③ Personal Care		④ Facility Management

Masking Tapes and Systems

Masking Papers

⑥② Scotch® Steel Gray Masking Paper

- Strong, flexible and pliable.
- Formulated to resist penetrations of solvents, lacquers or enamels.
- Variety of sizes: 12" to 18" widths for general masking—3" or 6" widths for headlights, taillights, door jambs and bumpers.



UPC Number	Size	Qty/Case
021200-06503-3	3" x 1000'	6
021200-06506-4	6" x 1000'	6
021200-06509-5	9" x 1000'	4
021200-06512-5	12" x 1000'	3
021200-06518-7	18" x 1000'	2
021200-06524-8	24" x 1000'	1
021200-06536-1	36" x 1000'	1

⑥② 3M™ White Masking Paper

- Specifically manufactured for the automotive aftermarket.
- Excellent protection against bleed-thru from urethane, enamels, lacquers and base coat/clear coat paint systems.
- Tightly bonded paper protects against fiber contamination and conforms excellently.



UPC Number	Size	Qty/Case
051131-06537-6	6" x 750'	6
051131-06538-3	12" x 750'	3
051131-06539-0	18" x 750'	2
051131-06540-6	36" x 750'	1
051131-06531-4	60" x 750'	1

⑥② 3M™ Scotchlok™ Gold Masking Paper

- Tightly bonded, specially-coated masking paper manufactured for the automotive aftermarket.
- Ultimate penetration resistance from all solvents used in today's sealers, lacquer and enamel paints and clear coat systems.
- Eliminates dust contamination from paper fibers.
- Provides excellent conformability.
- Holds up well under wet sanding conditions.
- Distinctive gold color for easy identification.



UPC Number	Size	Qty/Case
051131-06706-6	6" x 750'	6
051131-06712-7	12" x 750'	3
051131-06718-9	18" x 750'	2
051131-06736-3	36" x 750'	1
051131-06732-5	12" x 180'	12
051131-06738-7	18" x 180'	12

⑥② Scotch® Bold Brick Masking Paper

- High-density masking paper specifically manufactured for the automotive aftermarket.
- Very good paint penetration resistance from all solvents used in today's sealers, lacquer and enamel paints and clear coat systems.
- Protects against dust contamination from paper fibers.
- Provides excellent conformability.
- Holds up well under wet sanding conditions.



UPC Number	Size	Qty/Case
021200-06612-2	12" x 750'	3
021200-06618-4	18" x 750'	2
021200-06636-8	36" x 750'	1

Masking Films & Bags

④⑥ 3M™ High Temperature Paint Masking Film 7300

- Translucent polypropylene film masks trucks, motor homes, and other RVs during OEM painting and repair.



UPC Number	Size	Qty/Case
021200-22834-6	6" x 1500'	4
021200-22835-3	12" x 1500'	3
021200-22836-0	15" x 1500'	2
021200-22837-7	18" x 1500'	2
021200-22839-1	36" x 1500'	1

⑥② 3M™ Hand-Masker™ Pre-Folded Masking Film


- Specially formulated to resist paint flaking during the application of multiple coats.
- Static cling holds film to surface while taping and during spray applications.
- Easily unfolds to cover areas such as windows, cabinets, doors and floor-to-ceiling applications.



UPC Number	Description	Size	Qty/Case
051131-06845-2	MF24	24" x 180'	12
051131-06848-3	MF48	48" x 180'	12
051131-06860-5	MF36	36" x 90'	12
051131-06846-9	MF72	72" x 90'	12
051131-06849-0	MF99	99" x 90'	12

Masking Tapes and Systems

Masking Films & Bags (cont.)

- ⑥② 3M™ Overspray Protective Sheeting (Now Paintable)** 
- High-density, clear, tear-resistant polyethylene film available in 12', 16', and 20' widths.
 - Designed to protect a vehicle from paint overspray.
 - Folded to 3' for easy one person application.
 - Treated for improved paint overspray adhesion.

UPC Number	Size	Qty/Case
051131-06727-1	12' x 400'	1
051131-06728-8	16' x 350'	1
051131-06742-4	20' x 250' Bulk	1

- ⑥② 3M™ Hand-Masker™ Pre-Taped Plastic Drop Cloth PT2090** 
- Convenient, pre-taped plastic film which unfolds to cover and protect various surfaces while painting.
 - Clings to surfaces and is easy to cleanup.
 - Pre-taped with Scotch-Blue™ Painter's Tape for Multi-Surfaces 2090, which is sunlight stable and gives the user seven-day clean removal.

Part Number	Size	Qty/Case
051131-06696-0	24" x 30 yds.	12

- ⑥② 3M™ High Temperature Protective Bags and Sheets 7260M** 
- Use for masking where high temperature resistance or custom sizes are needed.
 - Compatibility with all paint systems.
 - Comformability and soft draping for ease of handling.
 - Reliable performance in bake cycles up to 315°F (157°C).
 - Transparent, 1.8 mils thickness.
 - Use with 3M masking tapes 2693, 231, 2380 and 2364.

Bags

Provided with heat seals, perforations and opening slit.

UPC Number	Size	Description	Bags/Roll
021200-96963-8	222" x 8"	Center Fold	25
048011-53730-6	220" x 98"		25
021200-96888-4	240" x 89"	J Fold	25

Continuous Sheeting

Non-perforated with an opening slit for the full length.

UPC Number	Size	Description	Rolls/Pallet
021200-74293-4	89" x 100 yds.	Center Slit Sheeting/ Not Folded Again	20
048011-53728-3	72" x 450'	—	20

Perforated Sheets

Designated perforations and easy opening slit.

UPC Number	Description	Sheets/Roll
021200-96961-4	Center Fold/Fold Again Slit without	25
021200-96964-5	Center Fold/Fold Again Slit without	20
048011-58547-5	—	10

Masking Equipment, Dispensers & Blades

- ③④ 3M™ Overspray Protective Sheeting Masker** 
- Portable masker designed to dispense 3M™ Overspray Protective Sheeting and 3M™ Paintable Plastic Sheeting.
 - Use horizontally, vertically or wall mounted.
 - Spring loaded end frame designed for easy loading of 3M™ Overspray Protective Sheeting.
 - **NOTE: PAPER IS NOT INCLUDED WITH MASKER.**

Part Number	Qty/Case
051131-06780-6	1

- ③④ Scotch® Cart Masker 18"** 
- Dispenses one roll of masking paper up to 18" wide on each of the two levels.
 - With the purchase of Scotch® Conversion Kit, it becomes a three-roll capacity masker.
 - Large, deep storage trays on the top and bottom.
 - Narrow width, large handle, and 8" wheels make moving it very easy.
 - Built-in storage rack for spray guns, and two hooks for masking tape.
 - Very easy to assemble.
 - **NOTE: PAPER IS NOT INCLUDED WITH MASKER.**

Part Number	Qty/Case
051131-06781-3	1


Paint	① Pre-Treatment	② Sealer	③ Primer	④ Top Coat	⑤ Finesse Deck	⑥ Re-Process
General Assembly	① Trim & Assembly	② Re-Process				

Masking Tapes and Systems

Masking Equipment, Dispensers & Blades (cont.)

③④ Scotch® Slimline ⑥② Apron Taper 18"

- Dispenses three rolls of masking paper up to 18" wide.
- Easily moved from job to job with one hand mobility.
- Maintains proper tape and paper alignment.
- Doesn't require adjusting.
- NOTE: PAPER IS NOT INCLUDED WITH MASKER.



Part Number	Qty/Case
021200-06864-3	1

⑥② 3M™ Hand-Masker™ Tack Down Tape Dispenser

- Attachment for the 3M™ Hand-Masker™ Dispenser.
- Accommodates an additional roll of masking tape for tacking down the loose end of masking paper during masking applications.
- NOTE: PRODUCT IS NOT INCLUDED WITH DISPENSER.



Part Number	Qty/Case
051131-06787-5	6

③④ Scotch® Apron Taper 18"

- Masking jobs are faster and easier.
- Dispenses masking paper up to 18" wide.
- Adapts for any combination of two paper widths up through 18" with Scotch® Conversion Kit.
- NOTE: PAPER IS NOT INCLUDED WITH MASKER.



Part Number	Qty/Case
021200-06865-5	1

3M™ Hand-Masker™ Pre-Taped Drop Cloth Dispenser

UPC Number	Description	Size	Qty/Case
051115-07997-9	PTD2090-24	24" x 30 yds.	12

③④ Scotch® Apron Taper 36"

- Dispenses masking paper up to 36" wide.
- Adapts for any combination of two paper widths up through 36" with Scotch® Conversion Kit.
- NOTE: PAPER IS NOT INCLUDED WITH MASKER.



Part Number	Qty/Case
021200-06866-9	1

⑥② 3M™ Hand-Masker™ Film Blade

- Use in conjunction with all 3M™ Hand-Masker™ Dispensers.
- Use to cut 3M™ Hand-Masker™ Pre-Folded Masking Film.



Part Number	Description	Size	Blades/Case
051131-06802-5	FB12	12"	6
051131-06804-9	MFCB6	6"	6

⑥② 3M™ Hand-Masker™ Paper Blade

- Use in conjunction with all 3M™ Hand-Masker™ Dispensers.



Part Number	Description	Size	Blades/Case
051131-06794-3	PB6	6"	6
051131-06795-0	PB9	9"	6
051131-06796-7	CB12	12"	6

⑥② 3M™ Hand-Masker™ M3000 Kit

- Applies masking tape to masking film or paper in one continuous application.
- Compact and lightweight.
- Saves time when preparing for painting, staining or spray applications.



UPC Number	Description	Qty/Case
051131-06788-2	M3000 Kit	4

Paint	① Pre-Treatment	② Sealer	③ Primer	④ Top Coat	⑤ Finesse Deck	⑥ Re-Process
General Assembly	① Trim & Assembly	② Re-Process				